

### How to record the data when Xtool PAD get error when diagnose

When you use Xtool PAD to diagnose but unfortunately get error, Xtool PAD will be able to record the data. Take x100pad diagnose Beijing Hyundai Santa Fe engine for example.

Procedure:

Step 1: Insert the key and turn on ignition, connect X100 PAD to the vehicle, enter "Chinese Car" menu and choose "Beijing Hyundai".



Step 2: Confirm if Beijing Hyundai V9.30 is the newest version released in official site. Click the option "📝" to start record data and it will flash which means it is working, click "Manual choose car model" and continue.



Step 3: Choose "New Santa Fe".



Step 4: Engine type "G2.4 gasoline direct injection engine".



Step 5: Come to the "Control Unit" menu, choose the system to diagnose, then come to the interface which showed the error.



Step 6: the whole diagnostic procedure complete, click "✎" to get a feedback table, then input your contact phone number and email in the user info, click "Send".

Cancel      反馈      Send

主题      2015-12-16 16:48:14      发送数据记录

发送原因

---

**车辆信息**  
北京现代 V9.30 -> 手动选择车型 ->  
全新胜达(DMC) -> 2014 -> G 2.4  
汽油直喷发动机

**软件信息**  
CN\_PS\_bjxd\_V9.30

**用户信息**

联系人

电话      15994051024

邮箱      456389566@qq.com

填写你的电话和邮箱

---

**附件**

china-PS\_bjxd-V9.30-2015-12-16 16-43-34.log      0.04 K

Step 7: Get message "Sent successfully", press "Back" to finish. Then take photo of vehicle nameplate, and call at Xtool: 400-880-3086.

